

10/796168

COF C



Docket No.: OSTEONICS 3.0-492
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Bassik et al.

Patent No.: 7,135,044

Issued: November 14, 2006

For: MODULAR PROSTHESIS KITS

Certificate

AUG 01 2007

of Correction

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.323

Dear Sir:

Enclosed herewith is a Certificate of Correction with respect to the above-identified U.S. Patent. You are hereby authorized to charge Deposit Account No. 12-1095 in the amount of \$100 to cover the required fee for filing a Certificate of Correction under § 1.323.

These errors were inadvertent, occurred in good faith and do not involve any changes which constitute new matter.

We look forward to early return of the Certificate of Correction duly certified.

Dated: July 26, 2007

Respectfully submitted,

By Dixit Mayankkumar
Mayankkumar M. Dixit

Registration No.: 44,064
LERNER, DAVID, LITTENBERG,
KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090
(908) 654-5000
Attorney for Applicants

07/31/2007 HBLANCO 00000007 121095 7135044
01 FC:1811 100.00 DA

787576_1.DOC

AUG 2 2007

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,135,044
APPLICATION NO. : 10/796,168
ISSUE DATE : November 14, 2006
INVENTOR(S) : Renen Bassik, John David Czajkowski, and Thomas Francis McCarthy

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

****On the Face of the Patent (75) Inventors: --Mc Carthy-- should read "McCarthy".**
Column 1, line 9, the word --prevents-- should read "prevent".
Column 3, line 13, the word --stem-- should read "stems".
Column 3, line 17, the word --has-- should read "have".
Column 3, line 21, the word --that-- should read "than".
Column 3, line 48, insert a comma --,-- after the word "position".
Column 4, line 31, the word --an-- should read "a".
Column 5, line 24, delete the word --includes--.
Column 5, line 40, the word --prevents-- should read "prevent".
Column 6, line 22, insert a comma --,-- after the number "3".
Column 6, line 57, delete the word --by--.
Column 8, line 61, the word --prevents-- should read "prevent".
Column 9, line 13, insert a comma --,-- after the word "bore".
Column 9, line 46, the word --stem-- should read "stems".
Column 10, line 28, the word --form-- should read "formed".
Column 12, line 37, insert the word --the-- after the word "of".
Column 12, line 49, the word --have-- should read "has".
Column 13, line 46, the words --tapered bore-- should read "a tapered bore".**

MAILING ADDRESS OF SENDER (Please do not use customer number below):
Mayankkumar M. Dixit
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090

1

787574_1.DOC

AUG 2 2007